

Vacuum Filter Tube

(# 50850/50851)

1. Description

SPL Life Science provides a Vacuum Filter Tube based on the filter membrane for sample preparation of experiment. The hydrophilic PES membrane filter applied to the Vacuum Filter Tube is less adsorbing and durable. Vacuum Filter Tube is applied to the 50 ml Conical Tube and does not require transferring samples after filtration. It can be used for sterilization of small-capacity media or reagents, and for separation of cells, etc.

2. Features

- ❖ Pore size: 0.22, 0.45 μm
- ❖ Individual packing

3. Functional Test

Non-Cytotoxic	:	Passed
Non-Pyrogenic	:	Passed
DNase/RNase free	:	Passed
Human DNA free	:	Passed

4. Product Range

Cat. No.	Material (Funnel/Cap/Tube/Membrane)	Pore Size (μm)	Volume(ml) (Funnel/Tube)	Sterile	Packaging
50850	PS/HDPE/PP/PES	0.22	150.00 / 50.00	+	1/12
50851	PS/HDPE/PP/PES	0.45	150.00 / 50.00	+	1/12

5. Certification


SPL Life Sciences hereby certifies that the product identified above, inspected to be in compliance with product quality specification and requirements as documented in our ISO 9001:2015 Quality Management System (K-QA-Q031478) in Korea.

6. Specifications & Technical Drawing

- Specifications

Dimensions	Material (Resin)	Packaging
Upper Diameter: 75.50 mm Bottom Diameter: 27.89 mm Height: 194.90 mm	Polystyrene (PS) Polypropylene (PP) High Density Polyethylene(HDPE) Polyethylsulfone(PES)	Pieces/Sleeve: 1 Pieces/Case: 12

- Technical Drawing



www.spllifesciences.com

For technical assistance, contact SPL R&D Center at:
Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: spl@ispl.co.kr
To place an order, contact your local distributor or
Tel: +82-31-533-4800; Fax: +82-31-533-1430; e-mail: business@ispl.co.kr

SPL-TDS-VFT

For Research Use Only. Not intended for use in diagnostic or therapeutic procedures.
© SPL Life Sciences Co., Ltd., Version 1, Jul 16th, 2020